



**KENTUCKY BOARD OF NURSING**  
312 Whittington Parkway, Suite 300  
Louisville, Kentucky 40222-5172  
<http://kbn.ky.gov>

**ADVISORY OPINION STATEMENT**

**PLACEMENT OF CENTRAL LINES BY NURSES**

The Kentucky Board of Nursing is authorized by Kentucky Revised Statutes (KRS) Chapter 314 to regulate nurses, nursing education and practice, promulgate regulations and to issue advisory opinions on nursing practice, in order to assure that safe and effective nursing care is provided by nurses to the citizens of the Commonwealth.

The Kentucky Board of Nursing issues advisory opinions as to what constitutes safe nursing practice. As such, an opinion is not a regulation of the Board and does not have the force and effect of law. It is issued as a guideline to licensees who wish to engage in safe nursing practice, and to facilitate the delivery of safe, effective nursing care to the public.

**Opinion:** Placement of Central Lines by Nurses

**Approved Date:** 1/91

**Revised:** 7/97; 4/01; 6/04; 2/05, 10/14, 12/14, 06/15

**Editorial Revision:** 1/2011; 5/2012

**Reviewed:** 5/2011

**Accountability and Responsibility of Nurses**

In accordance with KRS 314.021(2), nurses are responsible and accountable for making decisions that are based upon the individuals' educational preparation and current clinical competence in nursing, and requires licensees to practice nursing with reasonable skill and safety. Nursing practice should be consistent with the *Kentucky Nursing Laws*, established standards of practice, and be evidence based.

**Rationale for Advisory Opinion**

The growth in the field of vascular access related to the changing needs of patients has resulted in the opportunity for the educationally prepared and clinically competent registered nurse to realize an expansion in his or her scope of practice in the placement of central lines. Patients with complex health conditions often are not candidates for peripherally inserted central lines and the appropriate vascular access device may be the central venous catheter placed at an alternate site. The Board has received inquiries related to the scope of nursing practice in regard to the placement of central venous access devices by registered nurses.

In creating the following advisory opinion the Board reviewed current evidence including the following:

- Association for Vascular Access Position Statement Cannulation of the Internal and External Jugular Veins by Registered Nurses and Other Qualified Healthcare Professionals <http://www.avainfo.org/website/download.asp?id=280291>
- Association of Vascular Access Position Statement The Use of Ultrasound Guidance by Registered Nurses for Central Venous Catheter Insertion <https://www.avainfo.org/website/download.asp?id=279996>
- Infusion Nurses Society Position Paper The Role of the Registered Nurse in the Insertion of External Jugular Peripherally Inserted Central Catheters and External Jugular Peripheral Intravenous Catheters [http://www.ins1.org/files/public/08\\_26\\_08\\_INS\\_Position\\_Paper.pdf](http://www.ins1.org/files/public/08_26_08_INS_Position_Paper.pdf)
- Association for Vascular Access Position Statement Preservation of Peripheral Veins in Patients with Chronic Kidney Disease <http://www.avainfo.org/website/download.asp?id=279995>

*Note: This position statement is **not** intended to apply to:*

*The practice of the registered nurse who holds licensure as an Advanced Practice Registered Nurse for whom central line placement is within his or her APRN scope of practice.*

### **Advisory Opinion**

It is the opinion of the Board that:

The insertion of a central<sup>1</sup>, or midline<sup>2</sup> intravenous catheter whether peripherally or centrally inserted is within the scope of registered nursing practice for registered nurses who possess substantial specialized knowledge in intravenous therapy and vascular access practice and who demonstrate competence in the performance of the procedure when:

### **Guiding Principles**

KRS 314.021(2) imposes individual responsibility upon nurses. Acts which are within the permissible scope of practice for a given licensure level may be performed only by those licensees who personally possess the educational preparation and clinical competence to perform those acts in a safe, effective manner.

### **A. Insertion of Central Lines by Registered Nurses**

The insertion of a central venous catheter whether peripherally or centrally inserted is within the scope of registered nursing practice for the registered nurse who possesses substantial specialized knowledge in intravenous therapy and vascular access practice and demonstrates competence in the performance of the procedure when:

---

<sup>1</sup>Central catheters are radiopaque catheters, which are inserted in such manner that the distal tip is located in the superior vena cava. Central venous catheters may be inserted in a variety of sites including but not limited to jugular, subclavian and femoral veins. Peripherally inserted central catheters are commonly referred to as "PICC lines."

<sup>2</sup>Midline catheters are inserted in the peripheral venous system with the tip located in the proximal portion of the extremity.

1. Insertion of central lines by RNs/APRNs is allowed by documented evidence-based institutional policy, procedures, and protocols.
2. Catheter placement is pursuant to a physician/qualified provider's order for the procedure.
3. Provisions are in place for both the appropriate equipment and the immediate availability of personnel who are competent in managing complications related to central line placement. Examples of appropriate equipment include but are not limited to: an emergency cart with a defibrillator; chest tube and suction equipment; a portable positive pressure breathing device; and oxygen delivery system.
4. The institution or practice setting has in place written policies and procedures/protocols, developed in accordance with accepted standards of practice, to guide the RN or APRN in site selection and insertion of central lines. Policies and procedures/protocols should include but are not limited to:
  - Performance of a pre-insertion health assessment by the nurse inserting the central line.
  - Guidelines for site selection, ultrasound guided central line insertion and a plan for dealing with potential complications or emergency situations developed in accordance with currently accepted standard of practice.
  - Accessibility of emergency equipment and supplies.
  - Documentation and monitoring of physiologic measurements (e.g. blood pressure, oxygen saturation, cardiac rate and rhythm).
  - Documentation/evidence of education and training and continuing competence of the RN in the site selection and insertion of central lines.
5. The registered nurse inserting the central line is able to demonstrate educational preparation and current clinical competence as evidenced by:
  - a) Completion of a course of instruction including but not limited to:
    - i. Knowledge of anatomy and physiology of the vasculature and adjacent structures of the neck, chest, femoral artery, veins, nerves, and groin structures.
    - ii. Indications and contraindications of central lines
    - iii. Insertion site selection
    - iv. Sterile technique
    - v. Maximum barrier precautions
    - vi. Insertion and management techniques
    - vii. Anchoring/suturing
    - viii. Potential complications, unexpected outcomes and management including femoral sheath removal
    - ix. Nursing responsibilities
  - b) Documentation of education, proctored clinical practice, and validation in vascular access ultrasound technology maintained by the RN and on file with employer/facility.
  - c) Vascular access experience.
  - d) Central line placement using ultrasound technology.
  - e) Advanced Cardiac Life Support (ACLS), Pediatric Advanced Life Support (PALS) course completion for age specific population.

- f) If interpreting x-ray or ECG for tip placement: has completed an instructional program and has validated competency per facility policy.
  - g) If placing femoral catheters, has obtained education and validation to include insertion, maintenance, complications, and removal of femoral sheaths.
6. The institution or practice setting has in place an education/competency validation mechanism that includes a process for evaluating and documenting the RN's/APRN's demonstration of the knowledge, skills, and abilities related to site selection and the placement of central lines. Evaluation and documentation of competence occurs on a periodic basis according to institutional policy. The nurse is responsible for maintaining documentation of continued competency.
  7. The registered nurse or APRN inserting the central line should have no other responsibilities that would leave the patient unattended or compromise care.
  8. X-ray imaging technologies, electrocardiogram, or electrocardiogram/Doppler verification is used to assure proper placement of the catheter when the distal tip is positioned beyond the axillary vein.

It is within the scope of registered nursing practice and advanced practice registered nursing practice for a registered nurse or APRN qualified by specialized education and demonstrated competency to provide a preliminary interpretation of a chest x-ray for determining placement of the end of the CVC in the vena cava; authorizing the CVC for use; and reordering a chest x-ray, as needed. The nurse's practice should be consistent with the *Kentucky Nursing Laws*, established standards of practice, and be evidence based. This advisory opinion is specific to verifying catheter tip placement for the CVC and does not extend to interpretation of x-rays for other purposes. The radiologist would provide the final read and report.

It is within the scope of registered nursing practice for a registered nurse or APRN qualified by specialized education and demonstrated clinical competency to verify placement of the tip of the CVC in the vena cava utilizing electrocardiogram/Doppler or electrocardiogram tip confirmation device. The nurse's practice should be consistent with the *Kentucky Nursing Laws*, established standards of practice, and be evidence based.

Further, the Board advises that:

It is the responsibility of facilities to determine their own policy and procedures regarding central line placement. The Board advises the RN or APRN to use caution, however, in deciding whether or not he or she has the competence to insert a central line as ordered by a physician or APRN. With regard to this issue the Board recommends the RN also take into consideration his/her individual knowledge, skills, and competence to rescue the patient from unintended complications using advanced life support procedures and techniques or the immediate availability of another healthcare provider(s) who can meet these requirements.

In view of the proliferation of various catheter products available for placement, the registered nurse must be knowledgeable about the manufacturer's recommendations and precautions concerning the specific catheter product utilized, and should review product information on a frequent basis.

The use of a stylet and/or guidewire is not without potential risk<sup>3</sup> to the patient. The decision as to whether or not a stylet and/or guidewire is used for insertion purposes is based upon the registered nurse's or APRN's educational and experiential preparation, the registered nurse's competence in the performance of the procedure, the patient's condition, and the policies of the facility in which the procedure is performed. Such policies should establish clinical criteria governing catheter selection and insertion procedures (including use of a stylet and/or guidewire).

### **Midclavicular Placement**

In February 2005, the Board eliminated reference to "midclavicular" tip placement of CVC because published research reported high complication rates associated with midclavicular tip placement. Nurses should be familiar with current standards of practice and current literature addressing these findings.

### **Licensed Practical Nursing Practice**

It is the opinion of the Board that the peripheral insertion of a central or midline intravenous catheter is not within the scope of licensed practical nursing practice.

The licensed practical nurse should manage the care of and administer medications via central lines as stated in "201 KAR 20:490 Licensed practical nurse intravenous therapy scope of practice." <http://www.lrc.state.ky.us/kar/201/020/490.htm>

The Kentucky Board of Nursing issues advisory opinions as to what constitutes safe nursing practice. As such, an opinion is not a regulation of the Board and does not have the force and effect of law. It is issued as a guideline to licensees who wish to engage in safe nursing practice.

### **Determining Scope of Practice**

KRS 314.021(2) holds all nurses individually responsible and accountable for the individual's acts based upon the nurse's education and experience. Each nurse must exercise professional and prudent judgment in determining whether the performance of a given act is within the scope of practice for which the nurse is both licensed and clinically competent to perform. In addition to this advisory opinion statement, the Kentucky Board of Nursing has published "Scope of Practice Determination Guidelines" which contains a decision tree chart providing guidance to nurses in determining whether a selected act is within an individual nurse's scope of practice now or in the future. A copy of the guidelines may be downloaded from the Board's website

<http://kbn.ky.gov/practice/Documents/ScopeDeterminGuidelines.pdf> .

---

<sup>3</sup> Current literature reports a theoretical potential risk associated with the insertion of CVC via stylets and/or guidewires. Nurses should continue to review applicable research as it becomes available.

## References

- Alexandrou, E., Murgo, M., Calabria, E., Spencer, T.R., Carpen, H., Brennan, K., Frost, S.A., Davidson, P.M., & Hillman, K.M. (2012). *Nurse led central venous catheter insertion: Procedural characteristics and outcomes of three intensive care based catheter placement services. Internal Journal of Nursing Studies, 49, 162-168*
- Alexandrou, E., Spencer, T., Frost, S.A., Parr, M.J.A., Davidson, P.M., & Hillman, K.M. (2009) A review of the nursing role in central venous cannulation: Implications for practice policy and research. *Journal of Clinical Nursing, 19, 1485-1494.*
- Alexandrou, E., Spencer, T., Frost, S., Parr, M., Davidson, & P.M., Hillman, K.M.(2010). Establishing a nurse led central venous catheter insertion service, *JAVA, 15(1), 21-27.*
- Arizona State Board of Nursing (2009). Advisory opinion: Central line insertion by registered nurses. Retrieved from [https://www.azbn.gov/documents/advisory\\_opinion/AO%20CENTRAL%20LINE%20INSERTION%20BY%20REGISTERED%20NURSES.pdf](https://www.azbn.gov/documents/advisory_opinion/AO%20CENTRAL%20LINE%20INSERTION%20BY%20REGISTERED%20NURSES.pdf)
- Association for Vascular Access (2010). The Use of Ultrasound Guidance by Registered Nurse for Central Venous Catheter Insertion. Retrieved from <https://www.avainfo.org/website/download.asp?id=279996>
- Association for Vascular Access Nurses (2011) Cannulation of the internal and external jugular veins by registered nurses and other qualified healthcare professionals. Retrieved from <http://www.avainfo.org/website/download.asp?id=280291>
- Froehlich, C.D., Rigby, M.R., Rosenberg, E.S., Li, R., Roerif, P.E.J., Easley, K.A., & Stockwell, J.A. (2009). Ultrasound guided central venous catheter placement decreases complications and decreases placement attempts compared with the landmark technique in patients in a pediatric intensive care unit. *Critical Care Medicine, 37(3), 1090-1096.*
- Infusion Nurses Society (2008) The role of the registered nurse in the insertion of external jugular peripherally inserted central catheters (EJ PICC) and external jugular peripheral intravenous catheters (EJ PIVs). Retrieved from [http://www.ins1.org/files/public/08\\_26\\_08\\_INS\\_Position\\_Paper.pdf](http://www.ins1.org/files/public/08_26_08_INS_Position_Paper.pdf)
- Infusion Nurses Society (2011). Infusion nursing standards of practice. *Journal of Infusion Nursing, 34(1S).*
- Kelly, L.J. (2009). "Crossing professional boundaries: nurse-led catheter insertion. *Nursing Management, 16(6), 32-37.*
- Kelly, L.J., Buchan E., Brown, A., Tehrani, Y., & Cowan, D. (2009) Exploring how the development of a nurse-led vascular access service has benefited patients. *Nursing Times.*
- Kentucky Board of Nursing (2015). Scope of Practice Determination Guidelines. Retrieved from <http://kbn.ky.gov/practice/Documents/ScopeDeterminGuidelines.pdf>

Kentucky Board of Nursing (2015). APRN Scope of Practice Determination Guidelines. Retrieved from <http://kbn.ky.gov/practice/Documents/ScopeDeterminGuidelines.pdf>

Manual, W., (2014). Nurse led line insertion and management in renal access. *British Journal of Nursing*, 23(8), S4.

Nebraska Board of Nursing(2013). Advisory opinion: Central lines and peripherally inserted central catheters (PICC). Retrieved from <http://dhhs.ne.gov/publichealth/Licensure/Documents/PICCAndCentralLines.pdf>

North Carolina Board of Nursing (2014). Infusion therapy/access procedures: Position statement for RN, LPN, and UAP practice. Retrieved from <http://www.ncbon.com/myfiles/downloads/position-statements-decision-trees/infusion-therapy.pdf>

Yacopetti, N., Alexandrou, E., Spencer, T.R., Frost, S.A., Davidson, P.M., & Hillman, K.M. (2010) Central venous catheter insertion by a clinical nurse consultant or anaesthetic medical staff: A single centre observational study. *Critical Care and Resuscitation*, 12(2), 90-94.

### **Applicable Statutes From the *Kentucky Nursing Laws*<sup>4</sup>**

KRS 314.021(2) states:

All individuals licensed under provisions of this chapter shall be responsible and accountable for making decisions that are based upon the individuals' educational preparation and experience in nursing and shall practice nursing with reasonable skill and safety.

KRS 314.011(8) defines "advanced practice registered nursing practice" as:

... The performance of additional acts by registered nurses who have gained added knowledge and skills through an organized postbasic program of study and clinical experience and who are certified by the American Nurses' Association or other nationally established organizations or agencies recognized by the board to certify registered nurses for advanced nursing practice. The additional acts shall, subject to approval of the board, include but not be limited to prescribing treatment, drugs, devices, and ordering diagnostic tests. Advanced practice registered nurses who engage in these additional acts shall be authorized to issue prescriptions for and dispense nonscheduled legend drugs as defined in KRS 217.905 and to issue prescriptions for but not to dispense Schedules II through V controlled substances as classified in KRS 218A.060, 218A.070, 218A.080, 218A.090, 218A.100, 218A.110, 218A.120, and 218A.130, under the conditions set forth in KRS 314.042 and regulations promulgated by the Kentucky Board of Nursing on or before August 15, 2006. (a).... ...The performance of these additional acts shall be consistent with the certifying organization or agencies' scopes and standards of practice recognized by the board by administrative regulation.

KRS 314.011(6) defines "registered nursing practice" as:

...The performance of acts requiring substantial specialized knowledge, judgment, and nursing skill based upon the principles of psychological, biological, physical, and social sciences in the application of the nursing process in:

- a) The care, counsel, and health teaching of the ill, injured or infirm.

---

<sup>4</sup> A copy of the *Kentucky Nursing Laws* may be downloaded from the Kentucky Board of Nursing website at <http://kbn.ky.gov/legalopinions/Pages/laws.aspx> .

- b) The maintenance of health or prevention of illness of others.
- c) The administration of medication and treatment as prescribed by a physician, physician assistant, dentist, or advanced practice registered nurse and as further authorized or limited by the board, and which are consistent either with American Nurses' Association Standards of Practice or with Standards of Practice established by nationally accepted organizations of registered nurses. Components of medication administration include, but are not limited to:
  - 1. Preparing and giving medication in the prescribed dosage, route, and frequency, including dispensing medications only as defined in subsection (17)(b) of this section;
  - 2. Observing, recording, and reporting desired effects, untoward reactions, and side effects of drug therapy;
  - 3. Intervening when emergency care is required as a result of drug therapy;
  - 4. Recognizing accepted prescribing limits and reporting deviations to the prescribing individual;
  - 5. Recognizing drug incompatibilities and reporting interactions or potential interactions to the prescribing individual; and
  - 6. Instructing an individual regarding medications.
- d) The supervision, teaching of, and delegation to other personnel in the performance of activities relating to nursing care.
- e) The performance of other nursing acts which are authorized or limited by the board, and which are consistent either with American Nurses' Association Standards of Practice or with Standards of Practice established by nationally accepted organizations of registered nurses.

Approved: 1/91

Revised 7/97; 4/01; 6/04; 2/05, 10/2014, 12/2014, 06/15

Editorial Revision: 1/2011; 5/2012

Reviewed: 5/2011